

FIG. 1

FIG. 2




FIG. 3









FIG. 4



5 / 2 7

IN EXECUTION



IN EXECUTION







FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11










FIG. 14




FIG. 15




FIG. 16


97
↓

FIG. 17

ADDRESS TABLE

MAC ADDRESS	PORT
MAC ADDRESS 1	P1
MAC ADDRESS 2	P2
MAC ADDRESS 3	P3
MAC ADDRESS A	P4
MAC ADDRESS B	P5

FIG. 18

STATUS TABLE

MAC ADDRESS	DEVICE INFORMATION	PRIORITY VALUE
MAC ADDRESS 1	MFP, ABILITY	100
MAC ADDRESS 2	MFP, ABILITY	80
MAC ADDRESS 3	MFP, ABILITY	60

FIG. 19




FIG. 20

CONNECTION TABLE

HOST MAC ADDRESS	PRINTER MAC ADDRESS	TIMER
MAC ADDRESS A	MAC ADDRESS 1	T1 SECOND
MAC ADDRESS B	MAC ADDRESS 2	T2 SECOND

FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25

STATUS TABLE

MAC ADDRESS	DEVICE INFORMATION	STATUS
MAC ADDRESS 1	MFP, ABILITY	active
MAC ADDRESS 2	MFP, ABILITY	standby
MAC ADDRESS 3	MFP, ABILITY	off

FIG. 26




FIG. 27




FIG. 28

CONNECTION TABLE

HOST MAC ADDRESS	HOST IP ADDRESS	HOST PORT NUMBER	PRINTER MAC ADDRESS	PRINTER IP ADDRESS	PORT NUMBER	TIMER
MAC ADDRESS A	IP ADDRESS A	:x	MAC ADDRESS 1	IP ADDRESS 1	PORT NUMBER FOR PRINTER	T1 SECOND
MAC ADDRESS B	IP ADDRESS B	:y	MAC ADDRESS 2	IP ADDRESS 2	PORT NUMBER FOR PRINTER	T2 SECOND
MAC ADDRESS A	IP ADDRESS A	:x'	MAC ADDRESS 3	IP ADDRESS 3	PORT NUMBER FOR PRINTER	T3 SECOND

FIG. 29




FIG. 30

ADDRESS TABLE

MAC ADDRESS	PORT	DEVICE INFORMATION	STATUS
MAC ADDRESS 1	P1	MFP,ABILITY	active
MAC ADDRESS 2	P2	MFP,ABILITY	standby
MAC ADDRESS 3	P3	MFP,ABILITY	off
MAC ADDRESS A	P4	HOST	—
MAC ADDRESS B	P5	HOST	—
VIRTUAL MAC ADDRESS	—	virtual	—
MAC ADDRESS OF SWITCHING DEVICE 100	—	own	—